
## THE BMW 8 SERIES COUPÉS

meeknet.co.uk



VIEWS Pages 3-15

**POWER UNITS** Pages 16-19

**TRANSMISSION AND SUSPENSION** 

.

Pages 20-25

INTERIOR Pages 26-29

**BMW INDIVIDUAL** Pages 30-31

Page 32

SERVICE Page 33


**SPECIFICATIONS** Pages 34-35

STANDARD EQUIPMENT Pages 36-37

PAINTWORK AND UPHOLSTERY Pages 38-40

> **TECHNOLOGY GUIDE** Pages 41-43





# The supreme synthesis of technology and design.







## **EXPERIENCE PERFECTION.**

The very first time you encounter the BMW 8 Series, you will immediately sense the supreme thrill emanated by these cars. A unique feeling resulting from the 8 Series' overall impression and its individual details.


With its uncompromising focus on technical perfection, the 8 Series is an automotive spearhead of our times, a car — whether the 840Ci, 850Ci or 850CSi which will probably always remain absolutely unique in its style and character. A car with a power unit combining supreme performance with superior innovation. And a car with a wide range of features almost beyond comparison in terms of both exclusivity and craftsmanship.

The BMW 8 Series — a unique rendition of a new standard in sophisticated motoring.






.






.



# The BMW 850Ci:




## **POWER AND REFINEMENT.**



The V12 power unit of the BMW 850CSi. Completely updated by our motorsport specialists, this unique 12-cylinder now displaces 5.6 litres, offering power, refinement and smoothness at its very best. In conjunction with this superior style, the engine's enormous torque and more than ample performance available at all speeds, ensures a thrilling expe-

Brand-new from BMW: engine In conjunction with the 6-speed

rience which has already made the BMW V12 a legend in its own right: All the power and performance you would rightly expect of such a worldclass coupé. power control with adjustable control functions. Replacing the usual mechanical linkage between the gas pedal and throttle butterfly by means of much more sophisticated electronic control, Electronic Power Control (EPC) features two separate control maps in the BMW 850CSi. The driver, of course, has the choice to opt for the control program he prefers. manual gearbox, the sports control map allows the engine to be fully revved up to top speed for maximum performance, for example when overtaking. In the second control mode, the comfort program, engine power can be dosed much more sensitively and economically at low and medium





The 8-cylinder: Extremely low weight, four overhead camshafts, four valves per cylinder, optimised intake system and Digital Motor Electronics ensure dynamic performance and superior running smoothness.


speeds — an advantage in city traffic, on slippery surfaces and when parking.
A modern classic: the 5-litre V12 of the BMW 850Ci. Combining
supreme smoothness with absolute reliability even in the toughest situations, this high-performance power unit provides all the exceptional
superiority that has given BMW's 12-cylinder a great name right from
the start. The spontaneous way in which it churns out its outstanding

performance and the perfect balance of all moving forces, clearly underline the exclusive comfort only such a luxury coupé is able to offer.

Brand-new: the 8 Series with 8 cylinders. The BMW 8-cylinder in the fourlitre range opens up a new dimension of superior performance, once again underlining the remarkable, innovative results a really dedicated engineer is able to achieve. Brandnew in its concept and production technology, this unusually light and turbine-like power unit provides superior performance in every respect. Eccentrically arranged sections between the individual cams, for example, ensure a perfect balance of the camshaft without the slightest vibration. All engine functions are controlled and monitored by the latest Digital Motor Electronics. In all, therefore, this ingenious combination of perfect mechanical engineering and advanced electronics once again puts BMW in the lead in every respect.







## lm

Im

m


Outstanding power and performance for the discerning motorist. Both the 8-cylinder 840Ci and the 12-cylinder 850Ci and 850CSi offer impressive torque and supreme refinement at all engine speeds.



## **A NEW EXPERIENCE IN** SMOOTH, DYNAMIC MOTORING.

The harmony of engine, suspension and body design reaches a new level of perfection in the 8 Series.

The 6-speed manual gearbox. The active motorist will be thrilled by the virtually ideal gear increments of the 850Ci/CSi man-



A car with the technological standard and calibre of the 850Ci/CSi must live up to this unique level of excellence in all its features. The transmission must provide the right gear ratios for all speeds plus the right increments for supreme performance. Which is what you get from BMW's 6-speed manual gearbox.

ual gearbox. The six gears make maximum use of the engine's superior torque and output, adding to your driving pleasure and, of course, providing extra power and performance from this free-revving 12-cylinder.


New Adaptive Transmission Control: ATC. As an alternative to the manual gearbox, the BMW 850Ci is also available with automatic transmission featuring an adaptive, self-learning transmission control system. This electronic Adaptive Transmission Control by BMW not only takes driving and road conditions into ac-



count, but also "senses" your particular style of motoring and adjusts accordingly. Indeed, you might call it an automatic transmission which

The four-speed automatic transmission of the 850Ci now comes with Adaptive Transmission Control (ATC). This sophisticated system reduces the number of gearshifts, enhances the car's fuel economy, ensures even greater control ease, and thus increases driving safety to an unprecedented standard.

Harmony of man and machine is provided by BMW's innovative integral rear axle with its unique geometrical arrangement. As a result, the BMW 8 Series retains its excellent roadholding in all situations. The final touch is then added by Automatic Stability Control + Traction (ASC+T).



adjusts to you and your specific requirements — and not the other way round. ATC ensures even more refinement at the wheel of the BMW 8 Series, enhancing both the ease of motoring and driving safety by avoiding gearshifts when braking and in bends. In winter it allows you to start off smoothly on the most slippery roads, gearshifts being almost imperceptible. And it adds to the fuel efficiency of the BMW coupé, switching to a low-consumption driving program whenever possible.

Automatic transmission in the 840Ci with three driving programs. The 840Ci comes with automatic transmission able to detect all kinds of load factors such as the weight of the car and the gradient of a hill, and then adjust accordingly. Electronic/hydraulic control offers you the choice

of three different programs: Economy program (E) to minimise fuel consumption, sports program (S) to activate the engine's power and performand snow and shifting gears without the slightest jolt.

ance reserves, and winter program (\*) for starting off smoothly on ice The unprecedented spherical suspension. The outstanding driving characteristics of the BMW 8 Series result, not least, from its most sophisticated suspension. An elaborate configuration with double-joint spring strut front axle and integral rear axle, this suspension shows impressively what can be achieved these days in a car of this calibre. Featuring no less than five control arms per wheel, the integral rear axle, for The total power the tyres example, keeps the tyres perfectly on the road at all times, regardless of of a car can transfer to the road is made up of spring travel and other dynamic movements. In bends the control arms in individual forces serving to brake the car, to accelelastokinematic arrangement move the rear wheels to give them an active erate, and to maintain the desired position in steering effect, thus providing an even better grip on the road and imbends. Should any of these forces become as proved driving stability. The result is incomparably precise and neutral great as the total force driving behaviour in a car which itself is beyond comparison. the wheels are able to convey, for example when Dynamic Stability Control (DSC) in the BMW 850Ci. Available as accelerating too fast in bends, the other forces an option, DSC further improves the outstanding driving characteristics will no longer be able to hold the car in position. of the 8 Series' advanced suspension. From the start, this sophisticated DSC ensures smooth harmony of these forces at electronic system prevents the drive wheels from spinning and monitors all times, providing better the car's stability in bends. While even DSC cannot override the laws of traction when driving straight ahead and supephysics, it ensures optimum transmission of power from the tyres to the rior stability in bends.


road — and therefore optimum wheel grip — at all times. To reach this objective, the car's traction and stability in bends is constantly monitored as a function of the speed at which the wheels are




A standard feature of the 850CSi, the dynamic driving system with active rear axle kinematics provides a quantum leap in driving stability and maximum safety even in extreme situations.

turning, the movement of the steering wheel, and the speed at which the car is travelling. Before the tyres can even begin to lose their grip, DSC reduces drive power to prevent the car from swerving and tells the driver that the system has been activated. Precisely this makes DSC a unique achievement in the interest of even greater driving stability.

Suspension control BMW-style: the dynamic driving system. Four carefully harmonised control systems come together in the 8 Series to assist the driver: Electronic Damper Control (EDC) in the 840Ci/850Ci, Automatic Stability Control + Traction (ASC + T), active rear axle kinematics (ARAK) in the 850CSi (optional for the 840Ci and 850Ci), and Servotronic power steering finely tuned to the rear axle. Adding to all this, the dynamic driving system even comes with electrical adjustment of the steering column. The control systems and their functions are explained in detail in the Technology Guide. In the 840Ci and 850Ci, EDC interacts with the suspension to provide supreme motoring comfort. ARAK ensures driving stability of a standard never seen before, its control unit constantly assessing drive speed and steering wheel movements to give the rear axle an optimum active steering effect for precise handling at all times. In the 850CSi sports coupé the dynamic driving system comes as standard. The entire car is lowered, EDC being replaced by firm shock absorbers with specially tuned anti-roll bars to emphasize the dynamic performance of this sports model. The final touch




is then added by the limited-slip differential.



The all-round safety concept: 1. Regenerating hydraulic impact absorbers 2. Easily exchangeable crumple tubes. 3. Sideimpact protection. 4. Ultra-stable load-bearing components. 5. Extremely rigid passenger cell.

The BMW F.I.R.S.T. safety concept. Over the decades BMW has systematically developed an all-new and all-inclusive safety concer F.I.R.S.T., which stands for Fully Integrated Road Safety Technology. "Sa ty first'' is indeed a BMW standard applied equally to active safety as w as passive safety and the protection offered to other road users, for exa ple by the fully covered screenwiper shafts and the smooth, rounded co

tours of the body. Occupant safety is optimised by the efficient absorption of impact energy, the seat-integrated belt system, and airbags for both the driver and front passenger. The car itself is protected by fully regenerating im-



pact absorbers taking up impact energy in collisions up to 6 km/h. Easily submarining ramp. In a head-on collision, the airexchangeable crumple tubes come in next, keeping damage to a minibag inflates within splitseconds, reliably cushionmum in head-on collisions up to 15 km/h. Finally, ultra-stable load-bearing ing the driver's head and upper body. structures front and rear ensure additional protection of the extremely rigid passenger compartment.

140	
ept:	
afe-	A standard fitment for
vell	both the driver and fron passenger, the airbag en
am-	hances the effect of the safety belt with its belt
on-	latch tensioner and anti-



## EXCLUSIVE STYLE THROUGH AND THROUGH.


The thrilling experience of driving the 8 Series results not only from the car's advanced technologies and its striking, unmistakable styling, but also from the unique synthesis of functional design and sheer luxury in the interior.

The supreme BMW ambience. All the materials used in a car of this calibre offer topmost quality in every respect: from the roof lining to

Folding down one or both backrests at the rear provides additional storage space for your luggage. Further space with maximum privacy is then available in the compartment between the backrest and seat bottom.

the carpeting, from the cockpit to the luggage compartment completely lined, believe it or not, in high-quality velour. Equally superior harmony of colours, shapes and materials underlines this refined ambience and the particular flair unique to the BMW 8 Series. Here again, elegance and





BMW's complete set of golf bags tailor-made for the 8 Series consists of two triangular cases and a separate golf bag with caddy for up to 14 irons. Two complete sets fit perfectly into the spacious luggage compartment of your 8 Series coupé. The uncompromising, driver-oriented cockpit in BMW's typical arched design. Our objectives in designing all the information units and controls in the BMW 8 Series were absolute functionality and maximum comfort. This driver-oriented perfection in ergonomics and design clearly underlines the unique status of the car.



safety are blended with one another in perfection, the body-contoured seats, for example, ensuring the very best in motoring comfort free of fatigue even on long distances.

**Safety BMW-style.** Fully dedicated to the cause of occupant safety, our engineers have been just as uncompromising here as with the technical features of the 8 Series already mentioned. The specially developed, highly stable front seats feature an integral belt system ensuring optimum belt geometry regardless of your seating position. The new technology for this innovative safety concept is the extremely strong and rigid floor assembly designed exclusively for the 8 Series, efficiently taking up all the forces acting on the seats. The amazing result is that compared with a



The exclusive ambience of BMW's luxury range offers top quality to the last detail. Perfectly finished materials enhance the functional but aesthetic design of the interior. conventional design, the load now actually conveyed to the occupants in the event of a coll sion is down by more than 50 per cent.

Surrounded by BMW's driver-oriente cockpit. The cockpit of the BMW 8 Serie forms a complete, all-inclusive unit. Arrange both sensibly and logically, all the instrument are exactly where they should be for optimul clarity: From the rear-view mirror adjustment button, the ventilation controls and electr window lifts in the door through the rev cou ter, speedometer, coolant temperature gaug fuel gauge and telltales in the instrument clu ter, all the way to the centre console with the controls for the automatic air conditioning, a dio system, shift lever and the on-board cor puter with Multi-Information Display. The exceptional — standard features of the BM 8 Series include an anti-theft warning system with infra-red remote control, interior prote tion and a vehicle sway angle alarm.

Check/Control. Virtually every system in the BMW 8 Series constantly checks and monitors itself. In the event of even the slightest malfunction, the driver is warned

both by a telltale light and the Multi-Information Display. The result is far higher standard of driving safety and reliability, defects being detected ed and remedied in good time. If necessary, the MID can provide up to 7 different items of information in three priority levels from 1 (warning) to (for information only).

n-	
lli-	
ed	
es	
ed	
its	
m	
nt	
ric	
n-	
ge,	
IS-	
he	
ıu-	
m-	
W	
em	
ec-	
em	
nd	
he	
ed	
sa	
ct-	
79	
) 3	

## **CUSTOMISED ELEGANCE, UNIQUE FLAIR.**


Individual leather upholstery is available from BMW M GmbH for the motorist who wishes to have leather all round

BMW Individual is the answer to the most exclusive wishes and personal requirements going beyond the coupé's wide range of standard features. An independent subsidiary of BMW AG, the specialist company the interior of his 850Ci. providing these customised fitments allows you to put together your And you even choose the colour and quality of your 8 Series according to your specific ideas and wishes, with the harmony of *leather upholstery*.




colours and materials you prefer, plus the special luxury and technical items you would not like to miss. So added to the freedom of travelling, you now have the option to travel in your own personal style.

With BMW Individual you can give your 8 Series coupé your own personal flair and uphold BMW's high standard of quality at the same



time. Because your coupé is made to your individual order and comes with an all-inclusive warranty covering the quality of the unique paintwork you have chosen (where we keep the exact formula in order to reproduce exactly the same colour at any time whenever required), the technical reliability of all the special features you opt for, and the finish and craftsmanship provided by our specialists. All the paintwork, all components are subject to the same strict quality standards and assurance as our "regular" products. We are also in a position to advise you on your various wishes and ideas, thus ensuring that you get exactly what you want. For the objective of BMW Individual is to combine total harmony of each model feature, material and colour with excellent quality all round.

Which paintwork? Which wood? Which leather, which cloth? Whatever you prefer, BMW Individual can give you what you want. So that you don't have to take "no" for an answer.




## FROM A CAR TELEPHONE **ALL THE WAY TO SPORTS SEATS.**

Refined, high-gloss bird's eye maple beautifully accentuates the exclusive ambience of your 8 Series coupé.

.

BMW's two-piece lightalloy wheels in crossspoke styling (235/45 ZR 17 tyres at the front, 265/40 ZR 17 tyres at the rear) highlight the sporting design of your coupé.





To make sure that the 8 Series coupé fulfills all your special wishes, you also have another option apart from the exclusive concept offered by BMW Individual: BMW's wide range of special equipment over and above the equally wide range of standard features which already come with the car. These options extend from highperformance car telephones all the way to BMW Color Line, a particularly sophisticated interior finish based on the very best black cow-

hide, where most of the interior panels are specially colour-matched to the paintwork of the body. Other features are Electronic Damper Control, two-piece light-alloy wheels in cross-spoke styling (with 235/45 ZR 17 tyres at the front, 265/40 ZR 17 at the rear), special wooden trimming, customised radios, and electrically adjustable sports seats with memory function on the driver's seat.

## **BMW SERVICE — AS GOOD AS THE CAR ITSELF.**

Every BMW is designed and built to give you not only performance The BMW Service Card offers you reliable and efand comfort, but also quality and reliability. Plus, of course, sheer driving ficient assistance round pleasure for a long, long time. the clock throughout

A major factor contributing to this goal is reliable and economic service, which at BMW starts right from the beginning in the development of a new car.

The "intelligent" Service Interval Indicator. Your BMW comes with a Service Interval Indicator showing you when your car re-




quires servicing or an oil change next. Now, therefore, you are no longe restricted by fixed service intervals, but can rather determine the fr quency of service through your own personal style of motoring - fi quent cold-starting of the engine, for example, requiring different change intervals than long trips on the motorway. The bottom line, course, is that the Service Interval Indicator enables you to save both tin and money.

Since your BMW dealer can vouch for the work done by his highl qualified technicians and for the value of Original BMW Parts, he offers you a 12-month warranty on both parts and service. This alone ensures that you will enjoy sheer driving pleasure BMW-style for a long, long time.

ger	Europe. Among other
	things, we will recover
re-	and tow your car, offer
	you hotel accommodation
re-	and a rental car. The
oil	Service Card comes with
UII	each new BMW.
of	
ne	

	1				
١	I	١	í	1	ſ
I	I		y		
		-	1		





WEIGH Unlader Max per Permitt Permitt Permitt Permitt with a n Permitt with a n

ENGINI Cylinde Capacit Stroke/ Max out Max tor Output Torque Compre


TRANS Standar Final dr


PERFO Drag co Top spe Accelera

FUEL C Standar 90 km/h 120 km/ City traff WHEELS Tyre dime Wheel di Material

ELECT Battery Alternat

## **SPECIFICATIONS.**





Figures in ( ) apply to the 850CSi. All dimensions are in millimetres.

		840Ci	850Ci	850CS	i				
HT									
en	kg	[1830]	1830 (1830)	1865					
ermissible	kg	[2230]	2230 (2230)	2300					
tted load	kg	[400]	400 (400)	435					
tted axle load front/rear	kg	1115/1150	1115/1150	1150/1200					
tted roof load	kg	75	75	75					
tted trailer load, unbraked	kg	750	750	_					
tted trailer load, breaked,	10	,	,						
max gradient of 12 %	kg	1600	1600	_					
tted trailer load, braked,	16	1000	1000						
max gradient of 8 % 1)	kg	2000	2000	_					
max gradient of 0 70	16	2000	2000						
NE <sup>2)</sup>									
lers/valves per cylinder		8/4	12/2	12/2					
city	СС	3982	4988	5576					
e/bore	mm	80/89	75/84	80/86					
utput	kW/bhp/rpm	210/286/5800	220/300/5200	280/380/5300					
orque	Nm/ft-lb/rpm	400/295/4500	450/332/4100	550/405/4000					
it per litre	kW/bhp/ltr	52.7/71.7	44.1/60.0	50.2/68.3					
e per litre	Nm/ft-lb/ltr	100.5/74.1	90.2/66.5	98.6/72.7					
ression ratio/fuel grade	: 1/ROM	10.0/91-98	8.8/91	9.8/98					
1055ion ratio/raci Bidde	. 1/10/11	10.0/01 00	0.0/01	510/50					
SMISSION									
ard gearbox ratios I/II/III/IV	:1	[3.55/2.24/1.54/1.00]	4.25/2.53/1.68/1.24	4.25/2.53/1.68	/1.24				
V/VI/R	:1	[0.79/-/3.68]	1.00/0.83/3.89	1.00/0.83/3.89					
frive ratio	:1	[2.93]	2.93 (3.15)	2.93					
ORMANCE									
oefficient			0.29	0.31					
eed	km/h	[250] <sup>3)</sup>	250 <sup>3)</sup>	250 <sup>3)</sup>					
ration 0-100 km/h	sec	[7.4]	6.8 (7.4)	6.0					
standing-start km	sec	[27.4]	26.3 (27.0)	25.5					
ard gearbox	14-11001	ור רז	0.0/0.6)	0.5					
/h	ltr/100 km	[7.7]	8.8 (8.6)	8.5					
n/h	ltr/100 km	[9.3]	10.4 (10.3)	10.2					
affic	ltr/100 km	[17.2]	19.8 (19.8)	19.8					
LS				front:	rear:				
imensions		235/50 ZR 16	235/50 ZR 16	235/45 ZR 17	265/40 ZR 17				
		7 1/2 J x 16	7 1/2 J x 16	8Jx17	9Jx17				
l dimensions rial		Light alloy	Light alloy	Light alloy Light alloy					
Iai		Light anoy	LIGHTUNOY	(forged)	(forged)				
TRICAL SYSTEM									
ry capacity	Ah	2×65	2x65	2 x 65					
ator output	A/W	[140/1960]	140/1960	140/1960					


<sup>1)</sup> The permitted load can be increased up to this level. Please consult your BMW dealer. <sup>2)</sup> Engines with knock control are conceived for ROM 95 quality fuel. Use of ROM 98 fuel reduces consumption under normal conditions by approximately 1 per cent and power increases accordingly. On ROM 91 fuel engine power decreases and fuel con-sumption is about 3 per cent higher.

<sup>3)</sup> Electronically cut off.

<sup>4)</sup> Fuel consumption to DIN 70030, Part 1.

Figures in ( ) apply to vehicles with 4-speed automatic transmission. Figures in [ ] apply to vehicles with 5-speed automatic transmission. Unladen weight applies to vehicles with standard equipment. Special equipment and optional extras may increase this figure.

## **STANDARD EQUIPMENT OF THE BMW 8 SERIES COUPES.**



Power units

840Ci: Light-alloy 8-cylinder, cylinder heads with roof-shaped combustion chambers and four-valve technology, four overhead camshafts running in five bearings, hydraulic valve play compensation, crankshaft running in five bearings with six counterweights.

Digital Motor Electronics with electronic, air mass-related, map-controlled ignition and fuel injection (fully sequential), solid-state ignition. Cylinder-specific, adaptive anti-knock control

Exhaust manifolds and advance pipes with double walls and insulating air gap up to the catalytic converter. Dual control by separate oxygen sensors. Long-life exhaust system (made largely of stainless steel) with two silencers, each featuring twin tailpipes.

850Ci (deviating from above): Lightalloy 12-cylinder, two overhead camshafts running in 7 bearings, crankshaft in 7 bearings with 12 counterweights.

Digital Motor Electronics, one separate control unit for each cylinder head, Electronic Engine Power Control (EPC), silencers with four rectangular tailpipes.

850CSi (deviating from above): EPC control maps with two freely selectable driving programs for sports and economy/comfort motoring, switch in the centre console, gearspecific restriction of engine speed. Exhaust system with metal-based catalytic converters, four round tailpipes made of polished stainless steel.



Transmission/Suspension

Standard drive: engine at the front, power transmission to rear wheels. Five-speed automatic transmission with EH control. Suspension: double-joint spring strut front axle, multi-arm integral rear axle and dual-elastic final drive mounts, anti-roll bars and twin-sleeve gas pressure shock absorbers front/rear, Automatic Stability Control + Traction (ASC + T), engine speed-related power steering, safety steering column, steering wheel adjustable for reach. High-performance twin-circuit brake system with hydraulic brake servo, asbestos-free clutch and brake linings, swing-calliper disc brakes front/rear, innervented at the front, anti-lock brake system (ABS). Light-alloy wheels in cross-spoke styling.

850Ci (deviating from above): Sixspeed manual gearbox or four-speed automatic transmission with electrohydraulic, adaptive control at no extra cost. 850CSi (deviating from above): Sixspeed manual gearbox, dynamic driving system with active rear axle kinematics (ARAK), Automatic Stability Control + Traction (ASC+T), Servotronic and electrical adjustment of steering column. Extra-large and efficient brake system front and rear, entire vehicle lowered by approx 15 mm. Limited-slip differential with 25% locking action. Forged

light-alloy wheels in M styling.

The models illustrated in this brochure show the specifications for the German market. In part, they include optional equipment and accessories not fitted as standard. According to the specific requirements of other markets, alterations in models, standard and optional equipment, as described in the text and illustrations, may occur. For precise information on model features and the exact level of equipment, please contact your BMW importer or dealer. Subject to change in design and equipment. © BMW AG, Munich/Germany. Not to be reproduced wholly or in part without written permission of BMW AG, Munich.



Bodywork

Two-door coupé, 2+2-seater, extremely rigid all-steel unitary bodywork welded to the floor assembly, torsionally rigid safety cell on all planes, integral roof crossbar, side-impact protectors, reinforced doors, crumple zones with predetermined deformation. Bumper system with folding-tube deformation units. Fuel tank nested in front of the rear axle, tank capacity approx 90 ltr.

Hollow cavity preservation, underfloor protection, front wheel arches with plastic inserts, six-year warranty against rust perforation provided inspection is carried out annually.



### Exterior features

Front/rear bumpers finished in body colour and fully integrated into the bodyshell of the car, impact absorbers regenerating to their original shape in impacts up to 6 km/h. Popup headlight units containing the low beam, high beam and foglamps. Light unit at the side of the radiator grille comprising parking lights, light flash and direction indicator lights. Engine compartment lid rising up towards windscreen with part-covered windscreen wiper shafts. Large rear light clusters subdivided into separate units, extra-low load-

ing sill at the rear.

Covered front/rear towing hooks not visible from outside. Car prepared for fitting roof rack.

Engine compartment and luggage compartment lids supported by gas pressure springs. Windscreen and rear window bonded on to the body. Frameless, fully retracting side windows flush with the body of the car, no Bpillar, green heat-insulating glass all round. Laminated rear window.

Aerodynamically styled, aspheric rearview mirrors finished in body colour. Central locking with anti-theft security lock, crash sensor and central switch. Electrical luggage compartment lock, luggage compartment locked automatically when locking the glove compartment.

From 850Ci (deviating from above): Metallic paintwork available as a no-cost option.

850CSi (deviating from above): Restricted range of special paintwork colours, BMW M rear-view mirrors, BMW M spheric front spoiler and rear end diffusor.



### Interior features

Door lining with full integration of armrest, seat upholstery in carré flock velour. Door and side panel linings in leatherette, leather lining on steering wheel rim, upholstered cowhide inserts in door and side panels (top and bottom), all-round cowhide inserts on centre console and lower half of instrument panel.

Front seats with multi-zone foam padding and steel base springs, rear seats with individual body contour and integrated headrests. Rear backrests tilting forwards separately to provide additional storage space, ski-bag.

Airbags for driver and front passenger. Seat-integrated belt system at the front, with automatic adjustment of belt height and headrest level as a function of seat height. Ergonomic belt system at the rear with belt latches at the outside.

First-aid kit in folding storage compartment between the rear seats. BMW toolkit in special box with warning triangle in luggage compartment lining, lashing points in the luggage compartment, luggage compartment capacity 320 ltr/ 11.2 cu ft (to VDA standard).

850CSi (deviating from above): M Technic leather steering wheel with airbag, seats, door and side panels finished in cowhide upholstery available in four different colours, three in bi-colour finish



### Electrical system

Low-beam headlights and foglamps in ellipsoid technology, electrically operated headlight range control. Constant-pressure wiper system, programmable intermittent wipe as a function of road speed. Intensive windscreen cleaning system. Heated screenwasher nozzles, driver's door lock and rearview mirrors.

Multi-Information Display (MID) with onboard computer, Check/Control, clock and Service Interval Indicator. Analogue-face speedometer, rev counter, fuel gauge and coolant thermometer, map reading and entry lights at the front, courtesy lights at the rear, interior lights with automatic delay function. Electric seat adjustment for driver and front passenger.

Infra-red remote control of the anti-theft warning system with interior protection and sway angle alarm. Electrically adjustable rearview mirrors. Electric window lifts front/rear, at the front with fingertip control and safety function. Windows with comfort opening and closing function from driver's door lock, comfort closing function initiated automatically from a road speed of approx 150 km/h. Aerial integrated in rear window. Multiplex technology for the instruments, body electrics and door functions. Automatic air conditioning with separate left/right control and electronic temperature control. Interior ventilation with microfilter

From 850Ci: Cruise control. 850CSi (deviating from above): Speedometer and rev counter with red indicator needles.

## **PAINTWORK AND UPHOLSTERY.**

● recommended				Standard paintwork			Metallic paintwork									Color Line			
Model		Interior	Code No	8 Alpinweiss	torllah 314	g Schwarz	8 Kaschmirbeige	66 Maledivenblau	55 Brokatrot	55 Calypsorot	A Sterlingsilber	E Fjordgrau	55 Granitsilber	21 Drientblau	S Oxfordgrün	Diamantschwarz	Barbadosgrün-Metallic	S Tobagoblau-Metallic	55 Calypsorot-Metallic
	Cloth	Anthrazit	0346	$\bigtriangledown$	•	•	•	•	$\nabla$	•	•	•	•	•	•	•		199	
			0347	$\bigtriangledown$	$\nabla$	•		$\bigtriangledown$	$\nabla$	•	•		•	•	$\bigtriangledown$	•			40
	Natural-		0525	$\bigtriangledown$	0	$\nabla$	•	•	$\bigtriangledown$	•	•	•	•	•	•	•			
	grain	Silbergrau	0351	$\bigtriangledown$	$\bigtriangledown$	٠		$\bigtriangledown$	$\bigtriangledown$	•	•		•	•	$\bigtriangledown$	•			
840Ci	nappa leather	Silbergrau hell	0353	$\nabla$	$\bigtriangledown$	•	1000	•	$\bigtriangledown$	•	•		•	•	$\nabla$	•			
850Ci		Ultramarin	0355	•							•	$\bigtriangledown$	$\bigtriangledown$	$\bigtriangledown$					
		Pergament	0356	$\bigtriangledown$	$\bigtriangledown$	$\bigtriangledown$	$\bigtriangledown$	and the second s	•	$\bigtriangledown$		$\nabla$			$\nabla$	$\nabla$	2.5	1.	
		Pergament hell	0358	$\nabla$	$\bigtriangledown$	$\bigtriangledown$	$\bigtriangledown$		•	$\bigtriangledown$		$\bigtriangledown$			$\bigtriangledown$	$\bigtriangledown$			
	Natural buffalo leather	Anthrazit	0180	•	•	•	•	•	•	•	•	•	•	•	•	•			
	Natural- grain nappa leather	Schwarz	0495	•	•	•				•	•	•		$\bigtriangledown$	•	•			
		Silbergrau dunkel with Schwarz	0496	•	•	•				•	•	$\bigtriangledown$	13.5	$\bigtriangledown$	•	•			
		Silbergrau hell with																	
05000		Silbergrau dunkel	0497	$\bigtriangledown$	$\bigtriangledown$	•				•	•	$\bigtriangledown$		•	•	•			
850CSi		Lotosweiss with Schwarz	0498	$\bigtriangledown$	$\bigtriangledown$	•				•	$\bigtriangledown$	•		•	$\bigtriangledown$	•			
	Natural buffalo leather	Anthrazit	0499	•	•	•		1. TO V.		•	•	•			•	•			
	Color-Line	Barbadosgrün	0488														•		
840Ci	Natural-	Tobagoblau	0489															•	
850Ci 850CSi	grain nappa leather	Calypsorot	0490																•

These are the various paintwork and upholstery options for the BMW 8 Series. (Leather at extra cost, natural-grain nappa leather standard on the BMW 850CSi.) Since it is not always possible to properly reproduce colours on paper, we advise you to check out the colours at your BMW dealership. Subject to change.

Every BMW consists of a great many parts and components and each individual item is the result of years of research and development before it is ready for production. The often guite astounding technology that has gone into such parts and components is then reduced to just one simple technical term or abbreviation. Since it would be a pity if this simplified terminology created any unclarity or misunderstandings, we would like to take this opportunity to explain a number of essential items, some of which are standard, others optional.

Automatic Air Recirculation (AAR) makes sure that harmful substances in the environment cannot get into the passenger compartment. This sophisticated system "recognises" gaseous air pollutants such as carbon monoxide, nitric oxide, ethanol and partly unburnt hydrocarbons, switching the automatic air conditioning to air recirculation as soon as pollution increases to an overproportional extent. Accordingly, no air is drawn into the passenger compartment from outside (for a limited period) and pollutants are reduced by up to 90 per cent.

Helping to control the suspension, active rear axle kinematics (ARAK) serves to additionally enhance the active driving safety offered by the car. Exact steering of the rear wheels may prevent the car from swerving, for example in a sudden manoeuvre or when suddenly correcting the position of the steering in a bend. To achieve this effect, the optimum steering angle is calculated as a function of steering wheel movement and road speed, and is then converted electrohydraulically into a specific steering movement of the rear axle. In abrupt steering manoeuvres, ARAK therefore provides a similar improvement in driving stability as ABS when applying the brakes. In normal driving situations, in turn, a car equipped with ARAK follows the driver's input much more precisely and smoothly.

Automatic Stability Control + Traction (ASC+T) is the exact opposite of ABS: ASC+T prevents the drive wheels from spinning and thus ensures optimum driving stability on all surfaces and in all situations, depending of course on physical limits. Another outstanding technological feature integrated in ASC+T is engine drag torque control (EDTC). ASC+T is also supplemented by BMW's Electronic Engine Power Control (EPC) serving to reduce engine torque in dangerous situations regardless of the accelerator position, in this way avoiding any wheel slip. In addition to cutting back engine torque, ASC+T carefully brakes any wheels that might be spinning on the road.

The four-speed automatic transmission of the BMW 850Ci comes with Adaptive Transmission Control (ATC). In addition to the advantages of EH automatic transmission already mentioned in this brochure, this system adjusts the selection of gears to the driver's particular style of motoring, and also makes allowance for both ambient conditions and driving situations. To identify the driver's style of motoring, ATC analyses the position and movements of the gas pedal as well as the speed at which the car is travelling. As soon as the control system determines a very

## **TECHNOLOGY GUIDE.**

### AAR

### Active rear axle kinematics (ARAK)

### ASC + T

### ATC

dynamic style of driving, it automatically activates the sports gearshift program, while a particularly calm style of motoring will activate the economy program for maximum fuel efficiency. On snowbound or icy roads, ATC automatically initiates a special winter program enhancing both traction and driving stability. In particular situations, such as fast motoring on winding roads, downhill gradients or stop-and-go traffic, ATC adjusts its gearshift strategy accordingly. Adaptive Transmission Control helps to reduce the number of gearshifts, cuts back fuel consumption, and enhances both driving safety and control ease.

### Auxiliary ventilation/auxiliary heating

Auxiliary ventilation serves to supply fresh air into the passenger compartment on hot days, therefore avoiding excessive temperatures. Auxiliary heating, in turn, maintains pleasant temperatures inside the passenger compartment even in very cold weather without having to run the engine. Both of these systems may be programmed in advance by way of the on-board computer and a separate timer.

### Check/Control

Check/Control supervises the proper function of all major features and bulbs on the car and shows the driver their condition or, respectively, any deviation from their proper operation. An important innovation is that Check/Control also monitors and displays major lamp functions when not in use (off). Defect information is displayed in alphanumeric characters by means of a dot matrix, and is accompanied by a sound signal. The information provided in this way is subdivided into three priority levels depending on its significance.

### Crash sensor

In the event of an accident the crash sensor switches on the courtesy lights and hazard warning flashers. It also unlocks the central locking, allowing the doors to be opened easily from outside.

### Constant-pressure wiper system

The constant-pressure wiper system controls the surface pressure of the windscreen wiper on the driver's side as a function of road speed, thus ensuring optimum wiper efficiency at all times.

### Digital Motor Electronics


Digital Motor Electronics (DME) used by BMW on petrolengined models represents the latest state of the art in advanced engine management. Maintaining absolute precision, DME controls and supervises all engine functions such as the ignition, fuel injection, oxygen sensor and numerous other operations. Accordingly, it ensures optimum power and performance combined with superior fuel economy and low emissions under all running conditions.

### Driver's seat with memory function

The memory function for electrically adjusting the driver's seat is able to "remember" three different seat positions and

## Standard paintwork

Metallic paintwork



314 Hellrot

.



668 Schwarz




252 Calypsorot

310 Fjordgrau



259 Brokatrot


324 Oxfordgrün



237 Granitsilber




181 Diamantschwarz



39







## Color Line (paintwork)





252 Calypsorot-Metallic



256 Tobagoblau-Metallic

Color Line (nappa leather)





0490 Calypsorot 1)




0489 Tobagoblau 1)

The darker colour boxes pre-sent the colours of the instrument panel. <sup>1</sup>) Seat side panels in Schwarz or Silbergrau dunkel.









0347 Silbergrau



0346 Anthrazit

Natural-grain nappa leather



0498 Lotosweiss with Schwarz




0358 Pergament hell



0356 Pergament




0353 Silbergrau hell



0497 Silbergau hell with Silbergrau dunkel <sup>1)</sup>



0351 Silbergrau



0496 Silbergrau dunkel with Schwarz <sup>1)</sup>



0355 Ultramarin



0525/0495 Schwarz



0180/0499 Anthrazit

.



Г





## THE ULTIMATE DRIVING MACHINE